

Amendment Under 37 C.F.R. § 1.312  
Serial No. 10/077,930  
Sughrue Ref: Q68634

## **AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

### **LISTING OF CLAIMS:**

1. (previously presented): A jetting apparatus for mixing at least liquid and gas to create the mixed flow of the gas and the liquid to thereby jet the mixed flow, said jetting apparatus comprising:

a passage of the mixed flow of the gas and the liquid, said passage including at least one partition and a plurality of sub-passages divided by said partition;

an inclined face connected to said passage;

a liquid supply portion provided adjacent to said inclined face, said liquid supply portion having liquid injection ports being provided in correspondence with said divided sub-passages and a tapered portion located inside said inclined face; and

a gas passage defined between said tapered portion and said inclined face for supplying the gas to said passage, of which a sectional area is reduced toward the passage;

wherein mass flow per sectional area of the mixed flow of the gas and the liquid passing through said respective sub-passages is substantially equal.

Amendment Under 37 C.F.R. § 1.312  
Serial No. 10/077,930  
Sughrue Ref: Q68634

2. (original): A jetting apparatus according to claim 1, wherein each of said divided sub-passages is gradually increased in a downstream direction in width in a direction in which said sub-passages are arranged.

3. (canceled).

4. (previously presented): A jetting apparatus according to claim 1, wherein a downstream terminal end of said at least one partition is located at an intermediate position in said passage of said mixed flow of the gas and the liquid.

5. (previously presented): A jetting apparatus according to claim 1, wherein said upstream end of said at least one partition is located at an appropriate distance from said liquid injection ports.

6. (previously presented): A jetting apparatus according to claim 1, wherein a sectional area of said gas passage is gradually decreased toward a supply port for supplying gas the passage.

7. (original): A jetting apparatus according to claim 1, wherein said passage of the mixed flow of the gas and the liquid is provided with a minimum throttle portion which has the smallest

Amendment Under 37 C.F.R. § 1.312  
Serial No. 10/077,930  
Sughrue Ref: Q68634

sectional area, and sectional area of said passage in the downstream part thereof is made equal to that of said minimum throttle portion or gradually increased.

8. (original): The jetting apparatus according to claim 1, wherein said partition includes a wall portion extending in a flow direction of said sub-passages.

**Please add the following new claim:**

9. (new): A jetting apparatus according to claim 1, wherein each of said divided sub-passages is gradually increased in a downstream direction in width in a direction perpendicular to a direction in which said sub-passages are arranged.